

MATERIAL SAFETY DATA SHEET

DOWNDRAFT



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

UNITED SUPPLIERS, INC.
BOX 538
Eldora, IA 50627

PRODUCT NAME: DOWNDRAFT

CHEMICAL NAME: Oil-Emulsifier Blend

CHEMICAL FAMILY: Penetrant – Drift Control Agent – Deposition Aid

EMERGENCY CONTACT: In the event of chemical emergencies involving a spill, leak, fire exposure, or accident involving chemicals -- call **CHEMTREC (800) 424-9300**.

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – CAUTION:

EYE: May cause mild eye irritation.

SKIN: Contact may cause mild irritation.

INHALATION: Mist or vapors may irritate respiratory tract.

INGESTION: May cause digestive irritation if swallowed.

OTHER INSTRUCTIONS: Read all precautions of products being handled and follow the most restrictive language for all products to provide the safest work environment.

3. COMPOSITION, INFORMATION ON INGREDIENTS

<u>Chemical Ingredients:</u>	<u>Percentage by Weight:</u>	<u>CAS No.</u>	<u>TLV (Units)</u>
Phytobland paraffinic oil, modified vegetable oil, alkyl and alkylaryl ethoxylates, lecithin, fatty acids	100	Mixture	5mg/m ³ for oil mist
The maximum of 1 ppm Ethylene Oxide (EO) (75-21-8) may be present in the product.			1 ppm

4. FIRST AID MEASURES

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT have the product container or label with you when calling a poison control center or doctor.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): >200°F / Pensky-Martens Closed Cup

FLAMMABLE LIMITS (LFL & UFL): Not established

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, water spray or fog.

HAZARDOUS COMBUSTION PRODUCTS: Toxic fumes may be emitted in a fire situation.

SPECIAL FIRE FIGHTING PROCEDURES: Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Dike and collect water used to fight fire to prevent environmental damage due to run off. Foam or dry chemical fire extinguishing systems are preferred to prevent environmental damage from excessive water runoff.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Fire exposed containers can build up pressure and should be kept cool with water spray if possible. Explosive vapor could form from ruptured containers.

FIRE FIGHTING EQUIPMENT: Wear fire fighting gear appropriate for surrounding fire.

MATERIAL SAFETY DATA SHEET

DOWNDRAFT

HAZARDOUS COMBUSTION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce oxides of carbon, nitrogen and phosphorous.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: In case of leak or spill, contain material and dispose as waste. Do not contaminate any body of water. Pick up spilled liquid with absorbent material and sweep up for disposal. Place it and damaged unusable containers in a landfill appropriate for non hazardous chemical waste. Check local, state and federal regulations for proper disposal. **NOTE:** Prevent spilled material from flowing onto adjacent land, or into municipal sewers and open bodies of water. Always wear proper protective equipment when working with the product.

7. HANDLING AND STORAGE

HANDLING: Wash hands after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Store in a cool, dry place. Keep containers tightly closed. Store in original container. Do not allow water or other chemicals to be introduced into contents of container. Do not contaminate water sources with equipment wash water, spray disposal wastes or by cleaning of equipment. Do not store near feed or food products. Do not use or store near open flame or with oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

RESPIRATORY PROTECTION: Work in a well ventilated area; exposure to airborne contaminants is not expected to cause concern.

EYE PROTECTION: Wear chemical goggles or shielded safety glasses when handling and mixing product.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, shoes plus socks and chemical-resistant gloves. Always refer to the label of the pesticide(s) in the tank mix and follow the most restrictive requirements.

Personal Protective Equipment (PPE): Eye protection, long sleeved shirt and long pants, shoes plus socks and chemical resistant gloves. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Red liquid, Oily odor

SOLUBILITY: Soluble

pH: 4.0 – 7.0

SPECIFIC GRAVITY (Water=1): 0.985 – 0.990 g/ml

BULK DENSITY: 8.21 – 8.26 lbs/gal.

VAPOR PRESSURE: Not established

BOILING POINT: Not established

PERCENT VOLATILE (by volume): Not established

EVAPORATION RATE: Not established

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat and open flames.

IMCOMPATIBILITY: Strong oxidizing agents. Can also react with metals, strong bases and amines.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: May yield carbon monoxide, carbon dioxide and phosphorous oxides.

11. TOXICOLOGICAL INFORMATION – Based on a similar formulation

Acute Oral LD₅₀: >5,000 mg/kg (female)

Acute Dermal LD₅₀: >5,000 mg/kg

MATERIAL SAFETY DATA SHEET

DOWNDRAFT

Eye Irritation: May cause moderate irritation

Skin Irritation: May cause mild irritation

Inhalation LC₅₀: Not Established

Skin sensitization: Not a contact sensitizer

Carcinogenic Potential: None listed in OSHA, NTP, IARC, or ACGIH

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Ecotoxicity information is not available. This product is not for use in aquatic settings.

13. DISPOSAL CONSIDERATIONS

Do not reuse product containers. Triple rinse (or equivalent), then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by local, state and federal regulations.

14. TRANSPORT INFORMATION

DOT HAZARD CLASS: Not regulated by DOT

UN NUMBER: Not Applicable

DOT PACKING GROUP: Not Applicable

DOT PRIMARY/SECONDARY LABEL: None

DOT PRIMARY/SECONDARY PLACARD: None

15. REGULATORY INFORMATION

NFPA RATINGS: Least = 0 Slight = 1 Moderate = 2 High = 3 Severe = 4

Ratings for this product: Health – 1 Flammability – 0 Instability – 0 Special Hazards – None Specified

SARA Title III Hazard Category: Immediate Y Fire N
Sudden Release of Pressure N Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed

CA Proposition 65: The maximum of 1 ppm Ethylene Oxide (EO) (75-21-8) may be present in the product.

16. OTHER

Date of Issue: 12/29/09 Supersedes: 12/20/2007

DISCLAIMER OF LIABILITY

United Suppliers, Inc. makes no warranty, representation, or guarantee as to the accuracy, sufficiency, or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity, and suitability of his own use, handling, and disposal of this product. Since actual use by others is beyond our control; no warranty, expressed or implied, is made by United Suppliers, Inc. as to the effects of such use, the results to be obtained, or the safety and toxicity of this product, nor does United Suppliers, Inc. assume liability arising out of the use by others of this product referred to herein. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other materials or in any process.