



A
ADJUVANT

PROMOTE™

ACTIVATOR ADJUVANT FOR FUNGICIDES

- Maximizes Fungicide and Insecticide Performance
- Speeds Rainfastness and Plant Uptake
- Excellent Crop Safety



KEEP OUT OF REACH OF CHILDREN



WARNING

For use with pesticides registered for agricultural, forestry, industrial, municipal, non cropland, rights-of-way, and other appropriate uses. Not for aquatic use.

PRINCIPAL FUNCTIONING AGENTS

Polyoxyethylene sorbitan fatty acid ester, N,N-Bis-2-(omega-Hydroxypolyoxyethylene/polyoxypropylene)	96.5%
ethyl alkylamine	3.5%
Constituents Ineffective as Spray Adjuvant	

TOTAL 100.0%

PROMOTE™

ACTIVATOR ADJUVANT FOR FUNGICIDES



PRINCIPAL FUNCTIONING AGENTS

Polyoxyethylene sorbitan fatty acid ester, N,N-Bis-2-(omega-Hydroxypolyoxyethylene/polyoxypropylene) ethyl alkylamine	96.5%
Constituents Ineffective as Spray Adjuvant	3.5%
TOTAL	100.0%

Surfactant content: 96.5%

All ingredients are approved for use under 40 CFR 180



**KEEP OUT OF REACH OF CHILDREN
WARNING**

PRECAUTIONARY STATEMENTS

Causes skin irritation. Causes serious eye irritation. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear protective gloves, protective clothing, and eye protection. Specific treatment is given in the First Aid section on this label or on the SDS.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators or other handlers of this product must wear: protective eyewear (goggles or face shield), chemical-resistant gloves, coveralls worn over long-sleeved shirt and long pants, chemical-resistant footwear and socks. Consult the SDS for further information.

FIRST AID

- If In Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
- If Swallowed:** Call a POISON CENTER/doctor or Chemtrec if person feels unwell. Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
- If On Skin:** Wash with plenty of water. Call a POISON CENTER/doctor or Chemtrec if you person feels unwell. If skin irritation occurs: Get medical advice or attention. Treat Symptomatically. Take off contaminated clothing and wash it before reuse.
- If Inhaled:** Call a POISON CENTER/doctor or Chemtrec if person feels unwell.

GENERAL INFORMATION

PROMOTE is an activator adjuvant specifically formulated to enhance the performance of a wide range of both systemic and contact fungicides and their tank mixes.

DIRECTIONS FOR USE

The addition of adjuvants to some pesticides and/or fertilizers and their tank mixes may cause phytotoxicity to the foliage and/or fruit of desirable crops. The applicator or crops advisor must have experience with the pesticide combination, including PROMOTE, or must have conducted a phytotoxicity test prior to use. Do not use this product in a manner inconsistent with labeling. PROMOTE increases the activity of many pesticides. Therefore, care must be taken when treating sensitive crops during periods of drought stress, high temperatures or high humidity.

Net Contents: 1 U.S. Gallon (3.79 L)

©2013 Meherrin Agricultural & Chemical Company. All rights reserved.
For 24-hour technical assistance when using this product, call 1-800-323-8351
For 24-hour emergency service when using this product, call CHEMTREC: 1-800-424-9300
Promote is a trademark of Meherrin Agricultural & Chemical Company. Made in the USA.

SHAKE WELL BEFORE USING.

USE RATES

Ground Application: 0.125% v/v (1 pint per 100 gal. of spray solution).
Aerial Application: 0.25% v/v (1 quart per 100 gal. of spray solution).

MIXING

In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When pre-mixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

1. Compatibility agent and/or antifoam, if needed
2. AMS, dry formulations (WP, DF, WDG, SP), and dry drift retardants
3. Dry soluble and suspension fertilizers / micronutrients
4. Liquid drift retardants and flowable formulations (F & FL)
5. Liquid concentrates, suspension and microencapsulated (LC, SC, ME)
6. Emulsifiable concentrates (E, EL or EC)
7. Solutions and soluble liquids (S or SL)
8. Liquid micronutrients and fertilizers
9. Water conditioners and other adjuvants (COC, HSOC, MSO, NIS)
10. Finish filling to desired spray volume level and continue agitation

STORAGE AND DISPOSAL

This product does not require heated storage. Keep containers sealed when not in use. Store in original container only. Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrcycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

CONDITIONS OF SALE

Meherrin warrants that this product, when used as directed and in accordance with sound agricultural practices, is reasonably fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. Meherrin will not be liable for indirect or consequential damages. Meherrin makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized officer of Meherrin. In no event shall Meherrin's liability for any breach of warranty exceed the purchase price of the product to which a claim is made.

Manufactured for:

Meherrin
Meherrin Agricultural & Chemical Company
419 Main Street, Severn, NC 27577