

FRONTPAGE™

Nonionic Surfactant / Activator



PRINCIPAL FUNCTIONING AGENTS

Proprietary blend of Alkyl polyhydroxyhexopyranosides and glycol ethers.....	50.0%
Dimethylpolysiloxane antifoam	0.5%
Constituents Ineffective As Spray Adjuvants	49.5%
TOTAL	100.0%

All ingredients are approved for use under 40 CFR 180
Surfactant content: 50%

KEEP OUT OF REACH OF CHILDREN WARNING



PRECAUTIONARY STATEMENTS

Causes skin and serious eye irritation. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear protective clothing. Specific treatment is given in the First Aid section on this label or on the SDS.

PERSONAL PROTECTIVE EQUIPMENT (PPE)



Applicators or other handlers of this product should wear: long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and protective eyewear. Consult the SDS for further information.

FIRST AID

If Swallowed: Rinse mouth. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any fluids to an unconscious person.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

If On Skin: Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention.

If Inhaled: Move person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration.

GENERAL INFORMATION

FRONTPAGE is an activator adjuvant specifically formulated to enhance the performance of Strobilurin based fungicides and their tank mixes.

DIRECTIONS FOR USE

For use with pesticides registered for agricultural and other appropriate uses. NOT FOR AQUATIC USE.

USE RATES

Ground: Apply FRONTPAGE at 1 pint per 100 gallons (0.125% v/v) of spray solution.

Aerials: Apply FRONTPAGE at 2 pints per 100 gallons (0.25% v/v) of spray solution.

MIXING

Always mix this product in accordance with the instructions found on the pesticide label concerning adjuvants. In the absence of specific mixing instructions, fill the spray tank 1/2 to 3/4 full of desired water volume. While the water is agitating, add tank mix ingredients in the following order:

1. Compatibility agent and/or antifoam, if needed.
2. AMS, dry formulations (WP, DF, WDG, SP), and dry drift retardants.
3. Dry soluble and suspension fertilizers / micronutrients.
4. Liquid drift retardants and flowable formulations (F & FL).
5. Liquid concentrates, suspension and microencapsulated (LC, SC, ME).
6. Emulsifiable concentrates (E, EL or EC).
7. Solutions and soluble liquids (S or SL).
8. Liquid micronutrients and fertilizers.
9. Water conditioners and other adjuvants (FRONTPAGE) (COC, HSOC, MSO, NIS).
10. Finish filling to desired spray volume level and continue agitation.

STORAGE AND DISPOSAL—This product does not require heated storage. Keep containers sealed when not in use. Store in original container only. Do not reuse empty container. Rinse container thoroughly prior to disposal. Dispose of rinsate and container in accordance with local, state and federal regulations.

CONDITIONS OF SALE

1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than the officers of Seller, is authorized to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product limited to replacement of product or refund of purchase price.

S P E C I M E N L A B E L

FRONT PAGE is a trademark of Security Seed & Chemical, Inc.